US 5697099 A	Helmet with an alarm 5-Feb	2/422: 2/006
		0 2/422; 2/906
US 5685722 A	Electronic timing swim 434/254	434/247; 482/3; 482/901
US 5402188 A	Athletic pacing goggle 351/43	2/426; 362/105; 368/10
US 4776045 A	Swimming goggles inc 2/426	2/428; 377/24.2
US 4526473 A	Heads up sports timer 368/10	340/309.16; 340/309.7; 340/323F
US 6630650 B2	Induction heating and 219/626	219/665
US 6572365 B1	Automatic candle snul 431/33	431/289; 431/291
US 6538632 B1	Thin film transistor cir 345/98	330/257; 330/288; 345/92
US 6489992 B2	Large field of view CC 348/340	348/373
US 6441915 B1	Image forming appara 358/1.15	358/1.1
US 6359547 B1	Electronic access con 340/5.73	340/663; 70/267
US 6356260 B1	Method for reducing p 345/204	345/100; 345/97; 345/98
US 6265789 B1	Electronic apparatus 307/33	307/106
US 6215512 B1	Image forming appara 347/234	347/248; 399/49
US 6195206 B1	Optical system for day 359/630	359/639
US 6181563 B1	Meter device for vehic 361/736	307/10.1
US 5923257 A	Carafe with thermal s∈340/584	340/622; 340/691.6; 340/693.1; 3
US 5909244 A	Real time adaptive dig 348/222.1	382/274; 382/299
US 5880777 A	Low-light-level imagin 348/217.1	257/229; 348/216.1; 348/229.1
US 5861754 A	Position detection dev 324/660	324/680; 33/706
US 5253228 A	Interval timer 368/82	368/107; 368/239
US 4755725 A	High intensity light sh: 315/360	250/207; 250/214LS; 250/214VT;
US 4684249 A	Angular position sens 356/139.03	
US 4431907 A	- •	² 219/413; 219/448.12; 219/452.11
US 4367388 A	Cooking heating appa 219/685	219/711; 219/757; 374/161; 99/32
US 4110741 A	Device for monitoring 340/573.1	
US 4108623 A	Electronic control syst 65/163	65/158; 65/159; 65/164; 65/29.11
JP 2004210156 A	DEFOGGER CONTROL DEVICE	·
JP 2004210154 A		nicle, allows electric current supply
JP 08320387 A		by motorbike rider - uses detector t
	1	,,
		:
•	L 2	
		:
	•	
,		

.

US 5402188 A	Athletic pacing goggle 351/43	2/426; 362/105; 368/10	
US 6630650 B2	Induction heating and 219/626	219/665	
US 6359547 B1	Electronic access con 340/5.73	340/663; 70/267	
US 5861754 A	Position detection dev 324/660	324/680; 33/706	
US 5253228 A	Interval timer 368/82	368/107; 368/239	
US 4755725 A	High intensity light shr315/360	250/207; 250/214LS; 250/214VT;	
US 4684249 A	Angular position sens 356/139.03	356/141.3; 356/152.1	
US 4108623 A	Electronic control syst 65/163	65/158; 65/159; 65/164; 65/29.11	
	<u>L</u> 6		
	·		ŀ
. •			

.

US 4945458 A

Fireman's helmet with 362/106 2/906; 362/207

8

US 6431705 B1	Eyewear heart rate mc351/158	351/41
US 5423215 A	Self-contained heads-73/386	244/147; 340/980
US 6646060 B1	Resin composition cor 525/425	360/3; 428/473.5; 525/436
US 6293038 B1	Frame 40/738	40/711; 40/743
US 6064509 A	Clip for use with trans 359/272	359/265; 359/267; 359/274; 439/4
US 6062920 A	Custom terminal conn 439/861	
US 5978972 A	Helmet system includi 2/422	2/425; 2/906; 340/669; 73/491
US 5450222 A	Electrical connection (349/150	349/187; 349/74
US 5313670 A	Cervical protection sy: 2/411	2/410; 2/413; 2/425; 2/468
US 5093760 A	Calculator having a th 361/683	116/237; 24/67:9; 281/42; 361/68
US 4763312 A	Bonding structure for \368/280	522/6; 968/364; 968/DIG.1
US 4630904 A	Combination rear view 359/636	359/838; 362/494; 368/10; 968/87
US 4370759 A	Face guard mount for 2/424	2/9; D29/106
US 4329732 A	Precision capacitance 361/283.1	361/752; 73/718
US 3816992 A	CRIMPED POLYESTI 57/246	264/289.6; 264/290.7; 28/281; 42
		*
	<i>f</i> .	
	L14	
	•	
	•	• •
	US 5423215 A US 6646060 B1 US 6293038 B1 US 6064509 A US 6062920 A US 5978972 A US 5450222 A US 5313670 A US 5093760 A US 4763312 A US 4630904 A US 4370759 A US 4329732 A	US 5423215 A US 6646060 B1 Resin composition cor 525/425 US 6293038 B1 Frame 40/738 US 6064509 A Clip for use with trans 359/272 US 6062920 A Custom terminal conn 439/861 US 5978972 A Helmet system includi 2/422 US 5450222 A Electrical connection 349/150 US 5313670 A Cervical protection sy: 2/411 US 5093760 A Calculator having a th 361/683 US 4763312 A Bonding structure for 368/280 US 4630904 A Combination rear view 359/636 US 4370759 A Face guard mount for 2/424 US 4329732 A Precision capacitance 361/283.1

·

US 6431705 B1 US 5450222 A Eyewear heart rate mc351/158 351/41 Electrical connection c349/150 349/187; 349/74

1_15